


In the Claims:

1. (Previously Presented) A method of treating fibromyalgia comprising administering to a human in need thereof a therapeutically effective amount of a compound of formula I,



an enantiomers or a pharmaceutically acceptable salts thereof in which R₁ and R₂ are independently H or methyl, in conjunction with a pharmaceutically acceptable diluent or carrier.

Claim 2. (Canceled)

3. (Previously Presented) The method as claimed in claim 1 wherein the compound of formula I is N,N-dimethyl-1-[1-(4-chlorophenyl)cyclobutyl]-3-methylbutylamine hydrochloride.

4. (Previously Presented) The method as claimed in claim 1 wherein the compound of formula I is N,N-dimethyl-1-[1-(4-chlorophenyl)cyclobutyl]-3-methylbutylamine hydrochloride in the form of its monohydrate.

5. (Previously Presented) The method as claimed in claim 1 wherein the compound of formula I is (+) N-[1-[1-(4-chlorophenyl)cyclobutyl]-3-methylbutyl}-N-methylamine.

6. (Previously Presented) The method as claimed in claim 1 wherein the compound of formula I is (-)-N-{1-[1-(4-chlorophenyl)cyclobutyl]-3-methylbutyl}-N-methylamine.

7. (Previously Presented) The method as claimed in claim 1 wherein the compound of formula I is (+)-1-[1-(4-chlorophenyl)cyclobutyl]-3-methylbutylamine.
8. (Previously Presented) The method as claimed in claim 1 wherein the compound of formula I is (-)-1-[1-(4-chlorophenyl)cyclobutyl]-3-methylbutylamine.
9. (Previously Presented) The method as claimed in claim 1 wherein the compound of formula I is (+)-N-{1-[1-(4-chlorophenyl)cyclobutyl]-3-methylbutyl}-N-N-dimethylamine.
10. (Previously Presented) The method as claimed in claim 1 wherein the compound of formula I is (-)-N-{1-[1-(4-chlorophenyl)cyclobutyl]-3-methylbutyl}-N-N-dimethylamine.
11. (Previously Presented) The method as claimed in claim 1 wherein the compound of formula I is (+)-N-{1-[1-(4-chlorophenyl)cyclobutyl]-3-methylbutyl}-N-methylamine.

Claims 12-20. (Canceled)